



.....

CATALOGUE

01

TROUGH CABLE TRAY	191
BUILT-IN SPLICER TROUGH CABLE TRAY	197
PERFORATED CABLE TRAY	203
LONG SPAN CABLE TRAY	209
CABLE LADDER	215
LONG SPAN CABLE LADDER	221
ENERGY SAVING CABLE TRAY	227
WIREWAY	235

02

FITTINGS AND MOUNTING PARTS	241
-----------------------------	-----



.....

TROUGH CABLE TRAY

+


TROUGH CABLE TRAY
STRAIGHT SECTION

- All dimensions in millimeters
- Material and surface treatment:HDG, PC,PG,314, 316L
- Material thickness: 0.8, 1.0,1.2,1.5,1.8,2.0MM

TECHNICAL SPECIFICATION

Item Code	Width	Height	Length
7Q111	50	50	2000
7Q112	100		2000
7Q113	150		2000
7Q114	200		2000
7Q116	300		2000
7Q118	400		2000
7Q119	450		2000
7Q11A	500		2000
7Q11C	600		2000
7Q122	100	100	2000
7Q123	150		2000
7Q124	200		2000
7Q126	300		2000
7Q128	400		2000
7Q129	450		2000
7Q12A	500		2000
7Q12C	600		2000
7Q12F	800		2000

TROUGH CABLE TRAY
HORIZONTAL 90° ELBOW



Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0




TROUGH CABLE TRAY
HORIZONTAL 135° ELBOW




Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0




Item Code	Width	Height	Length
7Q134	200	150	2000
7Q136	300		2000
7Q138	400		2000
7Q139	450		2000
7Q13A	500		2000
7Q13C	600		2000
7Q13F	800		2000
7Q146	300	200	2000
7Q148	400		2000
7Q14A	500		2000
7Q14C	600		2000
7Q14F	800		2000

TROUGH CABLE TRAY
HORIZONTAL TEE




Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0




TROUGH CABLE TRAY
HORIZONTAL CROSS




Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0



TROUGH CABLE TRAY
90° UP ELBOW




Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0




TROUGH CABLE TRAY
90° DOWN ELBOW




Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0



TROUGH CABLE TRAY
45° UP ELBOW




Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0



TROUGH CABLE TRAY
45° DOWN ELBOW




Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0



TROUGH CABLE TRAY
VERTICAL UP TEE




Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0



TROUGH CABLE TRAY
VERTICAL DOWN TEE



Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800



Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0




TROUGH CABLE TRAY
REDUCER

Height	50、100、150、200
Width	100to 50、150to 100、200to 150、200to 100 300to 200、400to 300、300to 100、400to 200

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0





.....


BUILT-IN SPLICER TROUGH CABLE TRAY

+

FAST INSTALLATION TO SAVE PROJECT BUDGET

BUILT-IN SPLICER TROUGH CABLE TRAY


NAME	SAVING
HORIZONTAL CROSS	SAVING 8 PIECES SPLIER, 24 SETS M8 BOLTS AND NUTS
HORIZONTAL TEE	SAVING 4 PIECES SPLIER, 12 SETS M8 BOLTS AND NUTS
HORIZONTAL 90° ELBOW	SAVING 2 PIECES SPLIER, 6 SETS M8 BOLTS AND NUTS



BUILT-IN SPLICER TROUGH CABLE TRAY
HORIZONTAL TEE

Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0



BUILT-IN SPLICER TROUGH CABLE TRAY
HORIZONTAL 90° ELBOW

Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800



Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0




BUILT-IN SPLICER TROUGH CABLE TRAY
HORIZONTAL CROSS

Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0





.....

PERFORATED CABLE TRAY

+


PERFORATED CABLE TRAY
STRAIGHT SECTION

- Material and surface treatment:HDG, PC,PG,314, 316L
- Material thickness: 0.8, 1.0,1.2,1.5,1.8,2.0mm

TECHNICAL SPECIFICATION


Item Code	Width	Height	Length
7Q211	50	50	2000
7Q212	100		2000
7Q213	150		2000
7Q214	200		2000
7Q216	300		2000
7Q218	400		2000
7Q219	450		2000
7Q21A	500		2000
7Q21C	600		2000
7Q222	100		2000
7Q223	150	100	2000
7Q224	200		2000
7Q226	300		2000
7Q228	400		2000
7Q229	450		2000
7Q22A	500		2000
7Q22C	600		2000
7Q22F	800		2000

PERFORATED CABLE TRAY
HORIZONTAL 90° ELBOW



Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0




PERFORATED CABLE TRAY
HORIZONTAL 135° ELBOW




Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0




Item Code	Width	Height	Length
7Q234	200	150	2000
7Q236	300		2000
7Q238	400		2000
7Q239	450		2000
7Q23A	500		2000
7Q23C	600		2000
7Q23F	800		2000
7Q246	300	200	2000
7Q248	400		2000
7Q24A	500		2000
7Q24C	600		2000
7Q24F	800		2000

PERFORATED CABLE TRAY
HORIZONTAL TEE




Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0




PERFORATED CABLE TRAY
HORIZONTAL CROSS




Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0



PERFORATED CABLE TRAY
90° UP ELBOW



Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0



PERFORATED CABLE TRAY
90° DOWN ELBOW




Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0



PERFORATED CABLE TRAY
45° UP ELBOW




Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0



PERFORATED CABLE TRAY
45° DOWN ELBOW




Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0



PERFORATED CABLE TRAY
VERTICAL UP TEE




Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0




PERFORATED CABLE TRAY
VERTICAL DOWN TEE



Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800



Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0




PERFORATED CABLE TRAY
REDUCER

Height	50、100、150、200
Width	100to 50、150to 100、200to 150、200to 100 300to 200、400to 300、300to 100、400to 200

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0





LONG SPAN CABLE TRAY




LONG SPAN CABLE TRAY
STRAIGHT SECTION

- Material and surface treatment:HDG, PC,PG,314, 316L
- Material thickness: 0.8, 1.0,1.2,1.5,1.8,2.0mm

TECHNICAL SPECIFICATION

Item Code	Width	Height	Length
7Q411	50	50	2000
7Q412	100		2000
7Q413	150		2000
7Q414	200		2000
7Q416	300		2000
7Q418	400		2000
7Q419	450		2000
7Q41A	500		2000
7Q41C	600		2000
7Q422	100	100	2000
7Q423	150		2000
7Q424	200		2000
7Q426	300		2000
7Q428	400		2000
7Q429	450		2000
7Q42A	500		2000
7Q42C	600		2000
7Q42F	800		2000

LONG SPAN CABLE TRAY
HORIZONTAL 90° ELBOW




Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0





LONG SPAN CABLE TRAY
HORIZONTAL 135° ELBOW




Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0



Item Code	Width	Height	Length
7Q434	200	150	2000
7Q436	300		2000
7Q438	400		2000
7Q439	450		2000
7Q43A	500		2000
7Q43C	600		2000
7Q43F	800		2000
7Q446	300	200	2000
7Q448	400		2000
7Q44A	500		2000
7Q44C	600		2000
7Q44F	800		2000

LONG SPAN CABLE TRAY
HORIZONTAL TEE




Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0




LONG SPAN CABLE TRAY
HORIZONTAL CROSS




Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0



LONG SPAN CABLE TRAY
90° UP ELBOW




Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0



LONG SPAN CABLE TRAY
90° DOWN ELBOW




Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0



LONG SPAN CABLE TRAY
45° UP ELBOW




Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0




LONG SPAN CABLE TRAY
45° DOWN ELBOW



Height	50、100、150、200
Width	50、100、150、200、300、400、450、500、600、800

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0



LONG SPAN CABLE TRAY
REDUCER

Height	50、100、150、200
Width	100to 50、150to 100、200to 150、200to 100 300to 200、400to 300、300to 100、400to 200

Material and surface treatment: HDG, PC,PG,314, 316L
Material thicknessthickness: 0.8、1.0、1.2、1.5、1.8、2.0

